

Math Worksheet: Geometry Problem (3)

1. ABC is a right triangle and D is a point on BC at a distance of $\frac{1}{2}$ unit from point B. Angle BAD is 30° and ADE is a right angle. The distance CE is equal to 1 unit. Find x the distance from A to E.

We first draw the perpendicular EE' to BC. Hence triangles CEE' and CAB are similar which gives

$$\frac{1}{1+x} = \frac{EE'}{AB} \quad (1)$$

We now use sine and cosine ratios to find AB and AD as follows

$$\sin 30^\circ = \frac{1}{2} = \frac{AD}{AB} \Rightarrow AD = 1$$

$$\cos 30^\circ = \frac{\sqrt{3}}{2} = \frac{AB}{1} \Rightarrow AB = \frac{\sqrt{3}}{2} \text{ and (1) } \Rightarrow EE' = \frac{\sqrt{3}/2}{1+x}$$

$$\angle BAC = 30^\circ \Rightarrow \angle BDA = 60^\circ \Rightarrow \angle E'DE = 30^\circ$$

$$\Rightarrow \angle E'ED = 60^\circ$$

Right Triangles BAD and $E'DE$ have equal angles and are therefore similar

$$\text{hence } \frac{EE'}{\frac{1}{2}} = \frac{DE}{1} \Rightarrow DE = 2EE' = \frac{\sqrt{3}}{1+x}$$

Pythagoras's Theorem applied to $\triangle ADE$ gives

$$AD^2 + DE^2 = x^2$$

$$1^2 + \left(\frac{\sqrt{3}}{1+x}\right)^2 = x^2$$

$$\Rightarrow x^4 + 2x^3 - 2x - 4 = 0$$

$$\Rightarrow x^3(x+2) - 2(x+2) = 0$$

$$(x+2)(x^3-2) = 0$$

$$\Rightarrow \underline{x = \sqrt[3]{2}}$$

